


Para la serie ClassPad II


ES



CASIO ClassPad App

(para Android, para iOS)

Guía del usuario



URL del sitio web Educativo de CASIO

<http://edu.casio.com>

Los manuales están disponibles en varios idiomas en

<http://world.casio.com/manual/calc>

CASIO®

Procedimientos iniciales

- Puede usar la ClassPad App para desarrollar programas y eActivities usando los mismos comandos que los disponibles en la ClassPad. Puede almacenar sus programas y eActivities en su dispositivo móvil.
- La ClassPad App brinda las siguientes prestaciones.
 - Emulador ClassPad, que permite realizar las operaciones de la ClassPad en su dispositivo móvil
 - Captura de pantalla del emulador ClassPad (al portapapeles)
 - Copiado y pegado de datos (texto, valores, expresiones, etc.) entre la ClassPad App y otras aplicaciones

Nota

- Para los detalles acerca de la operación en pantalla del emulador de la unidad ClassPad, consulte la guía del usuario de la ClassPad.
- Los ejemplos de visualización mostrados en esta guía del usuario son meramente para fines ilustrativos. El texto y los valores que aparecen realmente en la pantalla pueden diferir de los ejemplos mostrados en esta guía del usuario.

Requisitos del sistema

Android

Sistemas operativos: Android 4.0, Android 5.0, Android 6.0

iOS

Sistemas operativos: iOS 9, iOS 10

Nota

- Para obtener la información más actualizada sobre los requisitos del sistema, visite el siguiente sitio web: <https://edu.casio.com/requirements/app/>
- Android, Gmail y Chrome son marcas comerciales o marcas comerciales registradas de Google Inc.
- iOS es una marca comercial o marca comercial registrada de Cisco Systems, Inc. de los Estados Unidos.
- Los nombres de compañías y productos utilizados aquí son marcas comerciales de sus respectivos propietarios.
- Obsérvese que los signos de marca comercial TM y marca comercial registrada [®] no se utilizan en el texto de esta guía del usuario.

Contenidos

Capítulo 1 Descripción general de la ClassPad App.....	ES-3
Diferencias entre la ClassPad App y las funciones de las aplicaciones de la ClassPad.....	ES-3
Datos de la ClassPad App	ES-3
Modo de visualización de la ClassPad App	ES-4
Capítulo 2 Operaciones de la ClassPad App	ES-6
Copiado y pegado	ES-6
Guardar una imagen de una captura de pantalla.....	ES-7
Operaciones del archivo vcp (New, Open, Save, Save As).....	ES-7
Borrando la memoria principal (Reinicialización)	ES-8
Generando datos MathML	ES-8
Copiando expresiones algebraicas y texto como texto Unicode.....	ES-9
Pantalla de información.....	ES-10
Comandos de menú de cajón	ES-11

Capítulo 1

Descripción general de la ClassPad App

La ClassPad App le permite disponer de una ClassPad virtual en la pantalla del dispositivo móvil, para que pueda realizar casi todas las operaciones disponibles con su ClassPad. Esta sección explica las diferencias entre las operaciones de la ClassPad App y la unidad ClassPad, y entre los dos modos de la ClassPad App.

Diferencias entre la ClassPad App y las funciones de las aplicaciones de la ClassPad

A continuación se describen las diferencias entre la ClassPad App y las funciones de las aplicaciones de la ClassPad.

- Ciertos ajustes y funciones de la ClassPad que no se utilizan cuando funciona en un dispositivo móvil (como la calibración del panel táctil), se inhabilitan en la ClassPad App. Cuando intente acceder a un ajuste o función inhabilitada, aparecerá el mensaje “Unavailable” en la pantalla.



- La aplicación E-CON3 no es compatible con la ClassPad App.

Datos de la ClassPad App


Su ClassPad almacena datos de eActivity en un área de memoria, y todos los demás datos (datos de aplicación y variables) en otra área de memoria. Los datos de eActivity se guardan en el “área eActivity”, mientras que los demás datos se guardan en la “memoria principal”. Para más detalles, vea la guía del usuario de la ClassPad.

La ClassPad App guarda ambos tipos de datos en su dispositivo móvil en formatos de archivo de “ClassPad virtual” (.vcp). Según los ajustes iniciales por defecto, se crea automáticamente un archivo denominado “default.vcp” para que sea utilizado como “Active Document” de la ClassPad App.

Modo de visualización de la ClassPad App

La ClassPad App tiene dos modos de visualización: modo Móvil y modo Calculadora.

- El modo Calculadora muestra una ClassPad virtual que tiene casi la misma apariencia que la unidad ClassPad.



Modo Móvil







Modo Calculadora

① Botón de menú (☰) ... Muestra el menú de cajón.


② Barra de pestañas



Menu, Main, Resize, Swap ... Igual que los siguientes iconos del panel de iconos de la ClassPad:  Menu,  Main,  Resize,  Swap.



Keyboard ... Alterna mostrar y ocultar un teclado virtual en la parte inferior de la pantalla.

③ Escape button (Esc) ... Igual que el siguiente icono del panel de iconos de la ClassPad: .


④ Botón de información (i) ... Muestra una pantalla de información.


■ Para acceder al modo Móvil o al modo Calculadora

1. Toque ☰ - [Window].

2. Toque [Mobile Mode] o [Calculator Mode].

■ Para utilizar el teclado virtual (solo modo Móvil)

En la barra de pestañas, toque  para visualizar un teclado virtual como el que se muestra a continuación.



Teclas de cursor

- Las teclas de cursor corresponden a las de la ClassPad.
- Puede cambiar el grupo de teclas actual igual que con el teclado virtual de la ClassPad.

Number	7	8	9	x	y	z	^	↑
Math1	4	5	6	()	÷	×	↓
Math2	1	2	3	.	(-)	+	-	=
	0	.	E	←	→	ans	EXE	→

[Number]

Number	Line	π	⇒	log()	↑		
Math1	e ^x	ln	x ²	x ⁻¹	↓		
Math2	sin	cos	tan	sin ⁻¹	cos ⁻¹	tan ⁻¹	←
	()	()	←	→	ans	EXE	→

[Math1]

Number	Line	π	⇒	i	∞	↑	
Math1	e ^x	ln	e ⁱ	e ⁻ⁱ	↓		
Math2	sin	cos	tan	sin ⁻¹	cos ⁻¹	tan ⁻¹	←
	θ	t	←	→	ans	EXE	→

[Math2]

Math3	Line	π	⇒	i	∞	↑	
Trig	Defin	f	g	adv	dSiv	↓	
Var	<	>	∅	∅	∅	←	
	≠	∠	←	→	ans	EXE	→

[Math3]

Math3	Line	π	⇒	i	∞	↑			
Trig	sin	cos	tan	sin ⁻¹	cos ⁻¹	tan ⁻¹	θ	t	↓
Var	sinh	cosh	tanh	e ^x	e ^{-x}	sinh ⁻¹	cosh ⁻¹	tanh ⁻¹	←
	←	→	ans	EXE	→				

[Trig]

Math3	a	b	c	d	e	f	g	h	↑
Trig	i	j	k	l	m	n	o	p	↓
Var	q	r	s	t	u	v	w	CAPS	←
	x	y	z	←	→	ans	EXE	→	

[Var]

Catalog	A	B	C	D	E	F	G	H	All	↑
abc	β ₀	β ₁	β ₂	abExpR	abExpReg	INPUT	←			
Advance						EXE	→			

[Catalog]

←	1	2	3	4	5	6	7	8	9	0	-	↑	abc
Space	q	w	e	r	t	y	u	i	o	p	@	↓	qBy
EXE	a	s	d	f	g	h	j	k	l	;	:	←	Math
→	↑	z	x	c	v	b	n	m	,	.	CAPS	→	Symbol

[abc]

Catalog	Line								↑
abc	int	!	nPr	nCr	an	bn	cn	rSiv	↓
Advance	F [∞]	F [∞]	F [∞]	F [∞]	F [∞]	+1	+2	n	←
	←	→	←	→	←	→	ans	EXE	→

[Advance]

Capítulo 2

Operaciones de la ClassPad App

Esta sección describe las operaciones que se pueden realizar en las pantallas del modo Móvil y modo Calculadora de la ClassPad App.

Copiado y pegado

■ Copiar el texto alfanumérico de la pantalla en el portapapeles

1. En la ClassPad App, seleccione el texto que desee copiar.
2. Toque \equiv - [Edit] - [Copy Special] - [Unicode].
 - Esto copiará el texto seleccionado en el paso 1 en el portapapeles (como texto Unicode).
 - Posteriormente, podrá pegar el texto copiado en otra aplicación (como texto Unicode).

■ Pegar el texto del portapapeles en la ClassPad App

1. En otras aplicaciones, copie el texto que desea en el portapapeles.
2. En la ClassPad App, abra la aplicación de la ClassPad en la cual desea pegar el texto del portapapeles.
3. Toque \equiv - [Edit] - [Paste Special].
 - Esto pegará el texto del portapapeles en la ClassPad App.

Nota

“Paste Special” detecta qué hay en el portapapeles, y luego lo pega como datos de texto o de MathML.

Podrá usar “Paste Special” para pegar datos de texto o MathML creados por otras aplicaciones.

Advertencia importante

Cuando la ClassPad detecta datos MathML en el portapapeles, intentará pegarlos en forma 2D math (forma de entrada natural), sin avisarle. No se garantiza que la forma pegada sea idéntica a la que fue copiada de otras aplicaciones.

Guardar una imagen de una captura de pantalla

■ Para guardar una imagen de una captura de pantalla

1. Visualice la pantalla cuya imagen desea guardar.
2. Toque ☰ - [Edit] - [Capture Screen].

Consejo

- Si desea guardar solo la ventana activa, toque lo siguiente en el paso 2: ☰ - [Edit] - [Capture Current Panel].

Operaciones del archivo vcp (New, Open, Save, Save As)

Esta sección explica cómo realizar las siguientes operaciones del archivo vcp en la ClassPad App: New, Open, Save y Save As.

■ Crear un archivo vcp nuevo

1. Toque ☰ - [File] - [New].
2. Teclee el nombre del archivo nuevo en el cuadro "File Name".
3. Toque [Save].
 - Esto creará un archivo vcp nuevo que quedará como documento activo.

■ Abrir un archivo vcp existente

1. Toque ☰ - [File] - [Open].
2. Seleccione el archivo que desea abrir y luego toque [Open].
 - Esto abrirá el archivo seleccionado por usted, que quedará como documento activo.

■ Guardar el archivo vcp actualmente abierto

Toque ☰ - [File] - [Save].

Nota

El documento activo actual será guardado automáticamente cada vez que salga de la ClassPad App. La próxima vez que inicie la ClassPad App, se abrirá automáticamente el documento activo desplegado durante la última sesión.

■ Guardar el archivo vcp actualmente abierto bajo un nombre diferente

1. Toque ☰ - [File] - [Save As].
2. Teclee el nuevo nombre en el cuadro "File Name".

3. Toque [Save].

- Esto guardará el archivo vcp actualmente abierto bajo un nombre nuevo, y el archivo nuevo quedará como documento activo.

■ Para adjuntar un archivo vcp a un mensaje de correo electrónico

1. Toque ☰ - [File] - [Send].

- Se mostrará el cuadro de diálogo Enviar.

2. Seleccione el archivo que desee enviar y después toque [Open].

- Se iniciará el gestor de correo con el archivo adjunto.

Nota

- Si el dispositivo móvil que recibe el correo electrónico tiene la ClassPad App instalada, al abrir el archivo, se iniciará la ClassPad App. Sin embargo, esta operación está limitada a los siguientes gestores de correo.

iOS: gestor de correo estándar

Android: Gmail a través de Chrome

Borrando la memoria principal (Reinicialización)

■ Borrar todos los datos, excepto archivos eActivity

1. Toque ☰ - [File] - [Reset].

- Aparecerá un cuadro de diálogo de confirmación con el mensaje “Reset Memory? Are you sure?”.

2. Para borrar la memoria, toque [Yes]. Para cancelar la operación sin borrar nada, toque [No].

Generando datos MathML

La ClassPad App puede generar expresiones algebraicas y texto ingresados con la aplicación Principal, la aplicación eActivity u otras aplicaciones, como archivo MathML (.mml). También podrá copiar expresiones algebraicas y texto como datos MathML (contenido, presentación o formato combinado) en el portapapeles.


■ Exportar la expresión algebraica seleccionada como un archivo MathML

Ejemplo: Para emitir una expresión algebraica ingresada con la aplicación Principal a un archivo MathML

1. Toque ☰ - [Application] - [Main] para iniciar la aplicación Principal.

2. Introduzca la expresión algebraica que desee añadir al archivo MathML.

3. Seleccione la expresión.



4. Toque \equiv - [File] - [Export MathML].

5. Teclee el nombre del archivo y luego toque [Save].

- La expresión seleccionada en el paso 3 será guardada como un archivo mml.

■ Copiar una expresión algebraica seleccionada como datos MathML al portapapeles

1. Seleccione la expresión que desee copiar.

2. Toque \equiv - [Edit] - [Copy Special] - [MathML].

3. Toque en la opción deseada del menú secundario.

Copiar datos usando este tipo de marcación MathML:	Seleccione esta opción:
Content • La marcación por contenido captura la estructura matemática.	Content
Presentation • La marcación por presentación captura la estructura notacional.	Presentation
Combined • Usos combinados de la marcación por contenido siempre que sea posible. De lo contrario, se usará la marcación por presentación.	Combined

- Para una información más detallada acerca de la marcación por contenido y la marcación por presentación MathML, consulte Internet u otras publicaciones.

Copiando expresiones algebraicas y texto como texto Unicode

Realice el procedimiento descrito a continuación para que el texto o una expresión algebraica seleccionada en la aplicación de la ClassPad sea copiada al portapapeles como texto Unicode.

■ Copiar expresiones algebraicas o texto como texto Unicode


1. Seleccione la expresión o el texto que desee copiar.

2. Toque \equiv - [Edit] - [Copy Special] - [Unicode].

- La expresión o texto seleccionado será copiado al portapapeles como texto Unicode.
- Podrá pegar el texto copiado en cualquier otra aplicación que admita la edición de texto.

Pantalla de información

Al tocar el botón de información (ⓘ), se visualizará una pantalla como la que se muestra a continuación.



Para ello:	Seleccione:
Manuales de usuario	
Abrir el manual de la ClassPad	ClassPad Manual
Abrir el manual de la ClassPad App	ClassPad App Manual
Acerca de esta aplicación	
Mostrar la versión de la ClassPad App y otra información	Version
Mostrar información sobre las condiciones de uso	Terms of Use
Mostrar información sobre la política de privacidad	Privacy Policy
Mostrar información sobre la licencia OSS	OSS License
Suscripción	
Visualizar la pantalla de suscripción	Membership
Soporte	
Visualizar las preguntas frecuentes sobre la ClassPad App	Help
Iniciar el navegador e ir a la CASIO WorldWide Education Website	CASIO WorldWide Education Website
Información (solo Android)	
Configurar los ajustes de Google Analytics*	Auto send usage information

* Para iOS, seleccione la aplicación “Ajustes” en la pantalla principal y configure los ajustes “Información de uso del envío automático”.

Comandos de menú de cajón

Para ello:	Seleccione este elemento del menú:			
Crear un nuevo archivo vcp (ClassPad virtual)	File	New		
Abrir un archivo vcp existente		Open		
Guardar cambios en el archivo vcp actual		Save		
Guardar el archivo vcp actual con un nombre nuevo		Save As		
Adjuntar un archivo vcp a un mensaje de correo electrónico		Send		
Limpiar memoria principal		Reset		
Exportar las expresiones matemáticas y el texto seleccionados a un archivo mml		Export MathML		
Volver a abrir uno de los cuatro archivos abiertos recientemente		1 <nombre del archivo> 2 <nombre del archivo> 3 <nombre del archivo>		
Copiar la expresión matemática con marcado de contenido seleccionada	Edit	Copy Special	MathML	Content
Copiar la expresión matemática con marcado de presentación seleccionada				Presentation
Copiar la expresión matemática con marcado combinado de contenido y presentación seleccionada				Combined
Copiar el texto seleccionado como Unicode				Unicode
Pegar el texto del portapapeles		Paste Special		
Guardar una captura de pantalla de la pantalla de la ClassPad virtual		Capture Screen		
Guardar una captura de pantalla del panel actualmente activo		Capture Current Panel		
Iniciar una aplicación		Applications	Applicable menu item	
Cambiar al modo Calculadora* ¹	Window	Calculator Mode		
Cambiar al modo Móvil* ²		Mobile Mode		

*1 Solo modo Móvil *2 Solo modo Calculadora

Expat, Release 1.95.8 (MIT/X license)

Copyright © 1998, 1999, 2000 Thai Open Source Software Center Ltd and Clark Cooper

Copyright © 2001, 2002, 2003 Expat maintainers.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT.

IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Cocoa Platform Plugin

Copyright (C) 2007-2008, Apple, Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Apple, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The qtmain Library

Copyright (C) 2015 The Qt Company Ltd.

Contact: <http://www.qt.io/licensing/>

You may use this file under the terms of the BSD license as follows:

“Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. * Neither the name of The Qt Company Ltd nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS “AS IS” AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.”

Shift-JIS Text Codec

Shift JIS (Shift Japanese Industrial Standards, also SJIS, MIME name Shift_JIS) is a character encoding for Japanese. It was originally developed by ASCII Corporation in conjunction with Microsoft.

Copyright (C) 1999 Serika Kurusugawa. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS “AS IS”. ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

ISO 2022-JP (JIS) Text Codec

ISO/IEC 2022 is an ISO standard specifying: - a technique for including multiple character sets in a single character encoding system, and - a technique for representing these character sets in both 7 and 8 bit systems using the same encoding.

ISO-2022-JP is a widely used encoding for Japanese.

Copyright (C) 1999 Serika Kurusugawa. All rights reserved. Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met: 1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. THIS SOFTWARE IS PROVIDED BY THE AUTHOR AND CONTRIBUTORS "AS IS". ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Unicode

Copyright (c) 1991-2009 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Included in util/unicode/data, tests/auto/qtextboundaryfinder/data and tests/auto/qchar

Parts of the makeqpf tool

Macros for building Qt files

Copyright 2005-2011 Kitware, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Kitware, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

qtbase/src/corelib/Qt5CoreMacros.cmake

qtbase/src/dbus/Qt5DBusMacros.cmake

qtbase/src/widgets/Qt5WidgetsMacros.cmake

qttools/src/linguist/Qt5LinguistToolsMacros.cmake

Android GNU C++ Run-time Licensing

The Android platform does not provide a full implementation of the C++ run-time. Instead, apps that depend on features such as STL, exceptions, or RTTI, must include an additional native run-time library that provides the features they need.

Qt will by default use the GNU libstdc++ library which is distributed as part of the Google Android NDK. Qt Creator will copy this library into the .APK for any Qt-based Android app. The library will then be loaded by the app on start-up to meet the run-time requirements of Qt.

The GNU C++ run-time is licensed under the [GNU General Public License version 3](#) with an exception which grants permission for run-time linking and usage of the library by an application which would otherwise violate the terms of the main license. For more information about this exception, see [the official license page](#).

QImage

Copyright (C) 2004, 2005 Daniel M. Duley

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

PNG Reference Library (libpng) version 1.6.17

This copy of the libpng notices is provided for your convenience. In case of any discrepancy between this copy and the notices in the file png.h that is included in the libpng distribution, the latter shall prevail.

COPYRIGHT NOTICE, DISCLAIMER, and LICENSE:

If you modify libpng you may insert additional notices immediately following this sentence.

This code is released under the libpng license.

libpng versions 1.2.6, August 15, 2004, through 1.6.17, March 26, 2015, are Copyright (c) 2004, 2006-2015 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.2.5 with the following individual added to the list of Contributing Authors

Cosmin Truta

libpng versions 1.0.7, July 1, 2000, through 1.2.5 - October 3, 2002, are Copyright (c) 2000-2002 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-1.0.6 with the following individuals added to the list of Contributing Authors

Simon-Pierre Cadieux

Eric S. Raymond

Gilles Vollant

and with the following additions to the disclaimer:

There is no warranty against interference with your enjoyment of the library or against infringement. There is no warranty that our efforts or the library will fulfill any of your particular purposes or needs. This library is provided with all faults, and the entire risk of satisfactory quality, performance, accuracy, and effort is with the user.

libpng versions 0.97, January 1998, through 1.0.6, March 20, 2000, are Copyright (c) 1998, 1999 Glenn Randers-Pehrson, and are distributed according to the same disclaimer and license as libpng-0.96, with the following individuals added to the list of Contributing Authors:

Tom Lane

Glenn Randers-Pehrson

Willem van Schaik

libpng versions 0.89, June 1996, through 0.96, May 1997, are Copyright (c) 1996, 1997 Andreas Dilger Distributed according to the same disclaimer and license as libpng-0.88, with the following individuals added to the list of Contributing Authors:

John Bowler

Kevin Bracey

Sam Bushell

Magnus Holmgren

Greg Roelofs

Tom Tanner

libpng versions 0.5, May 1995, through 0.88, January 1996, are Copyright (c) 1995, 1996 Guy Eric Schalnat, Group 42, Inc.

For the purposes of this copyright and license, "Contributing Authors" is defined as the following set of individuals:

Andreas Dilger

Dave Martindale

Guy Eric Schalnat

Paul Schmidt

Tim Wegner

The PNG Reference Library is supplied "AS IS". The Contributing Authors and Group 42, Inc. disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The Contributing Authors and Group 42, Inc. assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of the PNG Reference Library, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

1. The origin of this source code must not be misrepresented.
2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
3. This Copyright notice may not be removed or altered from any source or altered source distribution.

The Contributing Authors and Group 42, Inc. specifically permit, without fee, and encourage the use of this source code as a component to supporting the PNG file format in commercial products. If you use this source code in a product, acknowledgment is not required but would be appreciated.

A "png_get_copyright" function is available, for convenient use in "about" boxes and the like:

```
printf("%s",png_get_copyright(NULL));
```

Also, the PNG logo (in PNG format, of course) is supplied in the files "pngbar.png" and "pngbar.jpg" (88x31) and "pngnow.png" (98x31).

Libpng is OSI Certified Open Source Software. OSI Certified Open Source is a certification mark of the Open Source Initiative.

Glenn Randers-Pehrson

glennrp at users.sourceforge.net

March 26, 2015

Pixman (pixman) version 0.17.11

Copyright © 2009 Nokia Corporation

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice (including the next paragraph) shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Author: Siarhei Siamashka (siarhei.siamashka@nokia.com)

Drag and Drop

Copyright 1996 Daniel Dardailler. Permission to use, copy, modify, distribute, and sell this software for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation, and that the name of Daniel Dardailler not be used in advertising or publicity pertaining to distribution of the software without specific, written prior permission. Daniel Dardailler makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty. Modifications Copyright 1999 Matt Koss, under the same license as above.

ANGLE (angle)

Copyright (c) 2002, NVIDIA Corporation.

NVIDIA Corporation("NVIDIA") supplies this software to you in consideration of your agreement to the following terms, and your use, installation, modification or redistribution of this NVIDIA software constitutes acceptance of these terms. If you do not agree with these terms, please do not use, install, modify or redistribute this NVIDIA software.

In consideration of your agreement to abide by the following terms, and subject to these terms, NVIDIA grants you a personal, non-exclusive license, under NVIDIA's copyrights in this original NVIDIA software (the "NVIDIA Software"), to use, reproduce, modify and redistribute the NVIDIA Software, with or without modifications, in source and/or binary forms; provided that if you redistribute the NVIDIA Software, you must retain the copyright notice of NVIDIA, this notice and the following text and disclaimers in all such redistributions of the NVIDIA Software. Neither the name, trademarks, service marks nor logos of NVIDIA Corporation may be used to endorse or promote products derived from the NVIDIA Software without specific prior written permission from NVIDIA. Except as expressly stated in this notice, no other rights or licenses express or implied, are granted by NVIDIA herein, including but not limited to any patent rights that may be infringed by your derivative works or by other works in which the NVIDIA Software may be incorporated. No hardware is licensed hereunder.

THE NVIDIA SOFTWARE IS BEING PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT,

MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ITS USE AND OPERATION EITHER ALONE OR IN COMBINATION WITH OTHER PRODUCTS.

IN NO EVENT SHALL NVIDIA BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, EXEMPLARY, CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, LOST PROFITS; PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) OR ARISING IN ANY WAY OUT OF THE USE, REPRODUCTION, MODIFICATION AND/OR DISTRIBUTION OF THE NVIDIA SOFTWARE, HOWEVER CAUSED AND WHETHER UNDER THEORY OF CONTRACT, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE, EVEN IF NVIDIA HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Parts of ANGLE in qtbase/src/3rdparty/angle/src/compiler/preprocessor

Copyright (C) 2002-2010 The ANGLE Project Authors. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of TransGaming Inc., Google Inc., 3DLabs Inc. Ltd., nor the names of their contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The ANGLE project in qtbase/src/3rdparty/angle

Easing Equations

Easing Equations is a collection of swappable functions that add flavor to motion.

Disclaimer for Robert Penner's Easing Equations license:

TERMS OF USE - EASING EQUATIONS

Open source under the BSD License.

Copyright © 2001 Robert Penner All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution. * Neither the name of the author nor the names of contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. -- quoted from qtbase/src/3rdparty/easing/easing.cpp

OpenGL ES 2.0 Headers

Copyright (c) 2013 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

This document is licensed under the SGI Free Software B License Version 2.0. For details, see <http://oss.sgi.com/projects/FreeB/> .

OpenGL ES 3.1 Headers

Copyright (c) 2013-2014 The Khronos Group Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and/or associated documentation files (the "Materials"), to deal in the Materials without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Materials, and to permit persons to whom the Materials are furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Materials.

THE MATERIALS ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE MATERIALS OR THE USE OR OTHER DEALINGS IN THE MATERIALS.

This document is licensed under the SGI Free Software B License Version 2.0. For details, see <http://oss.sgi.com/projects/FreeB/>.

JavaScriptCore Macro Assembler

Copyright (C) 2012 Apple Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY APPLE INC. "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL APPLE INC. OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

CASIO®

CASIO COMPUTER CO., LTD.

6-2, Hon-machi 1-chome
Shibuya-ku, Tokyo 151-8543, Japan